# Prevalence Estimates for Risk Factors and Health Indicators by Race-Ethnicity

**State of Michigan** 

**Selected Tables** 

Michigan Behavioral Risk Factor Survey

2021

Lifecourse Epidemiology and Genomics Division Bureau of Epidemiology and Population Health Michigan Department of Health and Human Services

Prepared by: Yan Tian

September 2022

### **Table of Contents**

Introduction.	2
Table 1: Fair or Poor General Health	3
Table 2: Poor Physical Health on at Least 14 Days in the Past Month	4
Table 3: Poor Mental Health on at Least 14 Days in the Past Month	5
Table 4: Activity Limitation on at Least 14 Days in the Past Month	6
Table 5: Disability	
Table 6: Obesity	8
Table 7: No Health Care Coverage Among Those Aged 18-64 Years	9
Table 8: Medicaid Coverage Among All Adults	
Table 9: No Personal Health Care Provider	11
Table 10: No Health Care Access During Past 12 Months Due to Cost	12
Table 11: No Leisure Time Physical Activity	13
Table 12: Fruit Consumption (At least 1 / Day)	
Table 13: Vegetable Consumption (At least 1 / Day)	15
Table 14: Current Smoking	16
Table 15: Current E-Cigarette Use	17
Table 16: Current Hookah Use	
Table 17: Any Alcohol Consumption	
Table 18: Heavy Drinking	
Table 19: Binge Drinking	
Table 20: Ever Told High Blood Pressure	
Table 21: Cholesterol Ever Checked	
Table 22: Ever Told High Cholesterol	
Table 23: No Routine Checkup in Past Year	
Table 24: Had Flu Vaccine in Past Year Among Those Aged 65 Years and Older	
Table 25: Ever Had Pneumonia Vaccine Among Those Aged 65 Years and Older	
Table 26: Ever Had an HIV Test	28
Table 27: Lifetime Asthma Prevalence - Adults	
Table 28: Current Asthma Prevalence - Adults	
Table 29: Ever Told Chronic Obstructive Pulmonary Disease (COPD)	
Table 30: Ever Told Arthritis	
Table 31: Ever Told Heart Attack	
Table 32: Ever Told Angina or Coronary Heart Disease	
Table 33: Ever Told Stroke	
Table 34: Ever Told Any Cardiovascular Disease	
Table 35: Ever Told Skin Cancer	
Table 36: Ever Told Any Other Type of Cancer	
Table 37: Ever Told Cancer	
Table 38: Ever Told Diabetes	
Table 39: Ever Told Kidney Disease	
Table 40: Ever Told Depression	42

#### Introduction

The Michigan Behavioral Risk Factor Survey (MiBRFS) is an annual, statewide telephone survey of Michigan adults aged 18 years and older that is conducted through a collaborative effort among the Population Health Surveillance Branch (PHSB) of the Centers for Disease Control and Prevention (CDC), the Michigan State University Institute for Public Policy and Social Research (IPPSR), and the Michigan Department of Health and Human Services. Michigan BRFS data contribute to the national Behavioral Risk Factor Surveillance System (BRFSS) that is managed by the PHSB at the CDC.

In 2021, the total sample size of completed interviews for the core survey was 9,425 (land line = 2,533; cell phone = 6,892), which consisted of 7,411 White, non-Hispanics, 910 Black, non-Hispanics, 599 Other/Multiracial, non-Hispanics, and 259 Hispanics. Race/ethnicity was not available for 246 respondents, thus these individuals were excluded from this analysis. Due to relatively small racial-ethnic subgroup sample sizes we were required to combine demographic groups in this analysis. Some of the estimates for these racial-ethnic subgroups are relatively imprecise (i.e., have large confidence intervals) and should be used with caution. Furthermore, only comparisons between estimates with non-overlapping 95% confidence intervals should be considered significantly different.

For the 2021 Michigan BRFS, the sample of land line telephone numbers that were utilized for data collection was selected using a list-assisted, random-digit-dialed methodology with a disproportionate stratification based on phone bank density, and whether or not the phone numbers were directory listed. The sample of cell phone numbers used within the 2021 Michigan BRFS data collection process was randomly selected from dedicated cellular telephone banks sorted on the basis of area code and exchange within the State of Michigan.

Iterative proportional fitting or raking was the weighting methodology used to make the 2021 Michigan BRFS data representative of the current Michigan adult population. Estimates based on this methodology were weighted to adjust for the probabilities of selection and a raking adjustment factor that adjusted for the distribution of Michigan adults by telephone source (land line vs. cell phone), detailed race/ethnicity, education level, marital status, age by gender, gender by race/ethnicity, age by race/ethnicity, and renter/owner status.

State-specific, population-based prevalence estimates and asymmetric confidence intervals were calculated for indicators of health status, health risk behaviors, clinical preventive practices, and chronic conditions among the adult population in Michigan. Respondents who refused to answer a question were removed from the denominator during the analysis of such questions. Those who responded "Don't Know/Not Sure" were also excluded from the denominator unless indicated otherwise. All analyses were performed in SAS-Callable SUDAAN®, a statistical computing program that was designed for complex sample surveys.

In an effort to provide the most reliable information possible, prevalence estimates are suppressed if they are based on a denominator of less than 50 respondents or have a relative standard error of greater than 30%.

Due to the BRFSS methodology changes that took place in 2011, the estimates provided within the following tables should only be compared to Michigan BRFSS estimates from 2011-2018 and not to Michigan BRFSS estimates from years prior to 2011. Due to methodology changes in 2017, Fruit and Vegetable Module data should not be compared to prior years.

If you have any questions regarding any of the estimates within the following tables, please contact Yan Tian at <a href="mailto:tiany@michigan.gov">tiany@michigan.gov</a>.

Table 1: Fair or Poor General Health<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	M	lichigan <sup>b</sup>	White,	White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	
Total	16.0	(15.0-17.0)	15.1	(14.1-16.2)	23.9	(20.6-27.6)	13.3	(10.0-17.4)	11.9	(7.9-17.5)	
Age											
18 - 49	11.4	(10.1-12.8)	10.4	(9.0-12.1)	18.0	(13.7-23.3)	10.8	(7.0-16.4)	9.2	(5.1-16.0)	
50 +	20.9	(19.6-22.3)	19.4	(18.0-20.9)	31.1	(26.1-36.5)	21.0	(14.9-28.9)	20.5	(12.0-32.8)	
Gender											
Male	14.7	(13.4-16.1)	14.1	(12.7-15.6)	22.5	(17.6-28.2)	9.4	(6.3-13.7)	c	c	
Female	17.2	(15.8-18.6)	16.0	(14.6-17.5)	25.1	(20.8-30.0)	17.5	(11.9-25.0)	13.3	(7.8-21.7)	
Education											
High school graduate or less	22.6	(20.7-24.6)	22.2	(20.0-24.4)	29.7	(24.2-35.9)	18.0	(11.9-26.2)	c	c	
Some college or more	11.9	(10.9-12.9)	11.0	(10.0-12.0)	18.6	(15.1-22.8)	10.9	(7.3-16.1)	11.8	(6.9-19.5)	
Household Income											
< \$35,000	29.0	(26.6-31.5)	30.5	(27.6-33.6)	30.2	(24.6-36.4)	19.9	(13.4-28.7)	c	c	
\$35,000 +	9.0	(8.1-10.1)	8.7	(7.7-9.8)	12.5	(9.1-16.8)	7.0	(4.1-11.5)	10.1	(5.5-17.8)	

<sup>&</sup>lt;sup>a</sup> The proportion who reported that their health, in general, was either fair or poor.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 2: Poor Physical Health on at Least 14 Days in the Past Month<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	M	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Black, Non-Hispanic		r/Multiracial, n-Hispanic	ŀ	Hispanic
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	11.8	(10.9-12.7)	12.1	(11.1-13.1)	12.4	(9.8-15.5)	8.5	(5.4-13.1)	9.6	(6.2-14.5)
Age										
18 - 49	8.3	(7.2-9.6)	8.6	(7.3-10.1)	9.1	(6.1-13.3)	c	c	c	C
50 +	15.3	(14.1-16.6)	15.1	(13.8-16.4)	16.4	(12.4-21.5)	13.2	(8.5-19.8)	21.4	(12.7-33.7)
Gender										
Male	10.2	(9.1-11.5)	10.4	(9.2-11.8)	10.4	(7.3-14.4)	c	c	c	C
Female	13.3	(12.0-14.6)	13.6	(12.3-15.1)	14.2	(10.4-19.0)	8.6	(5.5-13.2)	10.0	(5.8-16.7)
Education										
High school graduate or less	15.4	(13.8-17.3)	16.3	(14.4-18.4)	14.8	(10.5-20.3)	c	c	c	c
Some college or more	9.5	(8.6-10.5)	9.6	(8.7-10.7)	10.3	(7.6-13.7)	5.0	(3.4-7.4)	12.1	(7.5-19.0)
Household Income										
< \$35,000	20.5	(18.3-22.8)	23.3	(20.7-26.2)	14.3	(10.5-19.1)	c	c	c	c
\$35,000 +	7.6	(6.7-8.5)	7.7	(6.7-8.8)	7.6	(5.0-11.2)	c	c	9.6	(5.2-16.9)

<sup>&</sup>lt;sup>a</sup> The proportion who reported 14 or more days of physical health that was not good, which includes physical illness and injury, during the past 30 days.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 3: Poor Mental Health on at Least 14 Days in the Past Month<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	M	ichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic		r/Multiracial, n-Hispanic	ŀ	Hispanic
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	15.5	(14.5-16.6)	15.3	(14.2-16.4)	15.5	(12.8-18.7)	15.4	(11.0-21.1)	19.6	(13.9-26.7)
Age										
18 - 49	20.1	(18.5-22.0)	20.7	(18.8-22.8)	17.8	(13.6-22.8)	19.4	(13.2-27.6)	19.8	(13.2-28.6)
50 +	11.1	(10.1-12.2)	10.8	(9.7-11.9)	13.2	(10.0-17.4)	7.1	(4.2-11.8)	18.9	(10.6-31.2)
Gender										
Male	12.1	(10.8-13.6)	11.5	(10.1-13.1)	13.2	(9.7-17.9)	12.1	(6.8-20.5)	19.7	(11.4-31.8)
Female	18.7	(17.2-20.2)	18.8	(17.2-20.5)	17.6	(13.8-22.1)	18.9	(12.5-27.6)	19.5	(12.6-28.9)
Education										
High school graduate or less	18.8	(17.0-20.9)	19.1	(17.1-21.4)	15.8	(11.7-20.9)	19.9	(11.8-31.7)	22.5	(13.4-35.2)
Some college or more	13.5	(12.4-14.7)	13.1	(11.9-14.4)	15.4	(12.0-19.5)	13.1	(8.5-19.7)	16.8	(11.1-24.6)
Household Income										
< \$35,000	23.5	(21.1-26.0)	24.8	(22.0-27.9)	19.8	(15.3-25.1)	25.2	(14.6-39.9)	18.4	(10.5-30.3)
\$35,000 +	12.1	(10.9-13.4)	11.8	(10.6-13.2)	9.5	(6.3-14.1)	c	c	23.5	(15.0-34.8)

<sup>&</sup>lt;sup>a</sup> The proportion who reported 14 or more days of mental health that was not good, which includes stress, depression, and problems with emotions, during the past 30 days.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 4: Activity Limitation on at Least 14 Days in the Past Month<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	M	lichigan <sup>b</sup>	White,	White, Non-Hispanic		Black, Non-Hispanic		r/Multiracial, n-Hispanic	Hispanic	
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	9.5	(8.7-10.3)	9.5	(8.7-10.5)	10.5	(8.4-13.2)	7.3	(5.3-10.0)	7.8	(4.8-12.6)
Age										
18 - 49	8.7	(7.6-10.0)	8.9	(7.6-10.4)	10.0	(6.9-14.2)	6.8	(4.4-10.5)	c	c
50 +	10.3	(9.3-11.4)	10.2	(9.1-11.4)	11.1	(8.3-14.8)	8.2	(5.0-13.1)	c	c
Gender										
Male	7.7	(6.7-8.7)	7.6	(6.5-8.8)	9.8	(6.9-13.8)	5.4	(3.2-9.0)	c	c
Female	11.1	(10.0-12.4)	11.4	(10.1-12.8)	11.1	(8.2-14.9)	9.4	(6.2-14.0)	c	c
Education										
High school graduate or less	12.0	(10.6-13.6)	12.9	(11.2-14.8)	10.9	(7.6-15.3)	9.3	(5.7-15.0)	c	c
Some college or more	7.9	(7.1-8.8)	7.6	(6.7-8.6)	10.2	(7.6-13.6)	6.4	(4.2-9.6)	9.3	(5.3-15.8)
Household Income										
< \$35,000	18.6	(16.5-20.9)	20.8	(18.2-23.7)	13.7	(10.1-18.3)	14.2	(8.6-22.7)	c	c
\$35,000 +	5.6	(4.9-6.5)	5.7	(4.9-6.6)	6.1	(3.8-9.7)	3.5	(2.0-6.3)	c	c

<sup>&</sup>lt;sup>a</sup> The proportion who reported 14 or more days in the past 30 days in which either poor physical health or poor mental health kept respondents from doing their usual activities, such as self-care, work, and recreation.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 5: Disability<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	M	lichigan <sup>b</sup>	White,	White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	
Total	28.7	(27.4-29.9)	28.6	(27.2-30.0)	31.5	(27.7-35.5)	22.2	(17.7-27.3)	30.1	(23.2-37.9)	
Age											
18 - 49	22.2	(20.4-24.1)	21.9	(19.8-24.1)	23.6	(18.5-29.5)	17.4	(12.8-23.2)	27.7	(19.8-37.3)	
50 +	35.2	(33.6-36.9)	34.5	(32.8-36.3)	39.4	(34.1-45.1)	35.2	(26.1-45.5)	38.0	(26.3-51.2)	
Gender											
Male	26.4	(24.7-28.3)	26.5	(24.6-28.5)	27.7	(22.2-34.0)	18.8	(13.8-25.1)	32.4	(22.7-44.0)	
Female	30.7	(29.0-32.5)	30.6	(28.7-32.5)	34.7	(29.8-40.0)	25.6	(18.6-34.2)	28.0	(19.1-39.0)	
Education											
High school graduate or less	39.1	(36.7-41.5)	39.8	(37.2-42.6)	37.0	(30.9-43.6)	33.1	(23.5-44.4)	40.2	(28.6-53.1)	
Some college or more	22.1	(20.9-23.4)	22.1	(20.7-23.5)	26.4	(22.2-31.1)	15.9	(11.8-21.0)	20.3	(13.6-29.2)	
Household Income											
< \$35,000	43.8	(41.0-46.6)	46.5	(43.2-49.8)	38.2	(32.1-44.7)	36.5	(25.4-49.2)	39.1	(26.2-53.8)	
\$35,000 +	20.1	(18.7-21.6)	20.1	(18.6-21.7)	20.8	(16.0-26.5)	14.4	(9.8-20.8)	26.0	(17.6-36.6)	

<sup>&</sup>lt;sup>a</sup> The proportion who reported having serious difficulty hearing, visual impairment, difficulty concentrating, remembering, or making decisions, difficulty walking or climbing stairs, difficulty dressing or bating, or difficulty doing errands alone.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

Table 6: Obesity<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	M	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic		/Multiracial, n-Hispanic	ı	Hispanic
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	34.4	(33.0-35.7)	34.1	(32.7-35.6)	40.8	(36.7-45.1)	20.1	(16.2-24.7)	37.0	(29.3-45.5)
Age										
18 - 49	32.9	(30.8-35.0)	32.7	(30.4-35.2)	38.9	(32.8-45.4)	18.7	(14.2-24.3)	37.4	(28.1-47.8)
50 +	36.0	(34.4-37.7)	35.4	(33.7-37.2)	43.1	(37.5-48.9)	24.4	(17.2-33.4)	35.7	(24.7-48.4)
Gender										
Male	33.9	(32.0-35.8)	34.0	(32.0-36.1)	38.4	(32.2-45.1)	22.1	(16.9-28.3)	33.5	(23.2-45.6)
Female	34.9	(33.0-36.8)	34.3	(32.2-36.3)	43.1	(37.6-48.7)	18.1	(12.7-25.2)	40.2	(29.3-52.1)
Education										
High school graduate or less	34.2	(31.9-36.7)	34.4	(31.7-37.1)	36.2	(30.1-42.8)	24.9	(17.0-34.9)	34.8	(23.1-48.7)
Some college or more	34.5	(33.0-36.1)	34.0	(32.3-35.8)	45.3	(39.9-50.8)	17.8	(13.8-22.7)	39.3	(30.0-49.4)
Household Income										
< \$35,000	37.4	(34.6-40.2)	37.8	(34.6-41.2)	42.6	(36.0-49.4)	24.7	(16.8-34.7)	24.2	(14.1-38.4)
\$35,000 +	34.1	(32.5-35.9)	33.9	(32.1-35.7)	41.1	(35.0-47.5)	19.6	(14.2-26.3)	40.7	(30.5-51.8)

Note: BMI, body mass index, is defined as weight (in kilograms) divided by height (in meters) squared [weight in kg/(height in meters)<sup>2</sup>]. Weight and height were self-reported. Pregnant women were excluded.

<sup>&</sup>lt;sup>a</sup> The proportion of respondents whose BMI was greater than or equal to 30.0.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

Table 7: No Health Care Coverage among Adults Aged 18 - 64 Years<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	N	lichigan <sup>b</sup>	White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	6.2	(5.4-7.1)	5.2	(4.4-6.2)	8.2	(5.9-11.3)	6.4	(4.0-10.0)	13.4	(8.6-20.3)
Age										
18 - 49	7.6	(6.4-8.9)	6.4	(5.3-7.9)	9.5	(6.3-14.2)	7.0	(4.0-12.1)	15.5	(9.9-23.5)
50 - 64	3.7	(2.9-4.6)	3.3	(2.5-4.3)	5.9	(3.5-9.7)	c	c	c	c
Gender										
Male	8.5	(7.2-10.1)	7.0	(5.7-8.6)	12.8	(8.6-18.6)	9.8	(5.7-16.1)	17.5	(9.7-29.4)
Female	3.9	(3.1-4.9)	3.5	(2.7-4.6)	4.1	(2.3-7.1)	c	c	c	c
Education										
High school graduate or less	9.4	(7.7-11.4)	7.9	(6.2-10.1)	8.8	(5.2-14.5)	15.7	(8.9-26.3)	20.5	(11.8-33.1)
Some college or more	4.3	(3.6-5.2)	3.8	(3.1-4.7)	7.6	(5.2-11.2)	c	c	c	c
Household Income										
< \$35,000	11.0	(8.9-13.5)	10.2	(7.8-13.4)	11.3	(7.2-17.2)	c	c	c	c
\$35,000 +	4.2	(3.4-5.2)	3.7	(2.9-4.7)	c	c	c	c	c	c

<sup>&</sup>lt;sup>a</sup> Among those aged 18-64 years, the proportion who reported having no health care coverage, including health insurance, prepaid plans such as HMOs, or government plans, such as Medicare or Indian Health Services.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a <u>relative standard error > 30%</u>.

Table 8: Medicaid Coverage among All Adults<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	M	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic		r/Multiracial, n-Hispanic	Hispanic	
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	12.1	(11.1-13.1)	9.5	(8.5-10.6)	25.7	(22.1-29.6)	12.5	(9.1-16.9)	15.9	(10.6-23.3)
Age										
18 - 49	17.3	(15.6-19.2)	14.5	(12.7-16.6)	32.5	(26.9-38.6)	15.1	(10.4-21.4)	18.7	(11.9-28.0)
50 - 64	7.2	(6.2-8.2)	5.5	(4.6-6.5)	18.2	(14.0-23.3)	c	c	c	c
Gender										
Male	8.2	(7.0-9.4)	6.1	(5.0-7.3)	18.7	(13.8-24.8)	11.3	(7.4-17.0)	c	c
Female	15.7	(14.2-17.3)	12.7	(11.2-14.5)	31.6	(26.7-36.9)	13.8	(8.7-21.4)	20.0	(12.1-31.4)
Education										
High school graduate or less	18.4	(16.4-20.6)	15.2	(13.1-17.6)	33.7	(27.6-40.4)	16.8	(10.6-25.7)	c	c
Some college or more	8.2	(7.3-9.3)	6.3	(5.4-7.3)	18.6	(14.8-23.0)	10.5	(6.8-16.0)	14.8	(9.2-23.0)
Household Income							-			
< \$35,000	27.2	(24.6-29.9)	23.4	(20.5-26.6)	38.8	(32.5-45.4)	26.3	(17.6-37.3)	30.4	(18.9-44.9)
\$35,000 +	4.0	(3.3-4.9)	3.5	(2.7-4.5)	9.2	(6.2-13.5)	c	c	c	c

<sup>&</sup>lt;sup>a</sup> Among all adults, the proportion who reported having Medicaid health care coverage, which includes those who had Medicaid only as well as those who had both Medicaid and Medicare. <sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 9: No Personal Health Care Provider<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	M	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic		r/Multiracial, n-Hispanic	+	Hispanic
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	10.9	(10.0-11.8)	9.8	(8.9-10.8)	14.3	(11.6-17.6)	14.9	(11.4-19.2)	13.4	(9.3-19.1)
Age										
18 - 49	17.4	(15.8-19.2)	16.5	(14.7-18.5)	21.8	(17.1-27.4)	19.1	(14.1-25.3)	16.9	(11.5-24.1)
50 +	4.5	(3.9-5.3)	4.1	(3.4-4.9)	6.9	(4.7-9.9)	7.7	(4.3-13.3)	c	c
Gender										
Male	13.5	(12.2-15.0)	12.0	(10.5-13.5)	18.3	(13.9-23.9)	18.9	(13.7-25.3)	19.9	(12.8-29.6)
Female	8.4	(7.3-9.6)	7.8	(6.7-9.2)	10.8	(7.8-14.8)	10.5	(6.5-16.6)	c	c
Education										
High school graduate or less	13.6	(11.9-15.5)	12.2	(10.4-14.3)	16.4	(12.1-21.9)	20.4	(13.5-29.7)	17.7	(10.9-27.4)
Some college or more	9.2	(8.3-10.2)	8.5	(7.5-9.6)	12.4	(9.2-16.4)	12.0	(8.3-16.8)	9.5	(5.2-16.9)
Household Income										
< \$35,000	14.2	(12.2-16.5)	12.4	(10.1-15.1)	19.6	(14.8-25.5)	13.0	(7.5-21.4)	17.9	(9.9-30.2)
\$35,000 +	9.5	(8.4-10.6)	9.0	(7.9-10.3)	10.4	(7.0-15.3)	14.1	(9.6-20.3)	10.9	(6.1-18.6)

<sup>&</sup>lt;sup>a</sup> The proportion who reported that they did not have anyone that they thought of as their personal doctor or health care provider.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 10: No Health Care Access during Past 12 Months Due to Cost<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	M	lichigan <sup>b</sup>	White,	Non-Hispanic	Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	7.8	(7.1-8.6)	6.5	(5.8-7.3)	10.7	(8.2-13.8)	10.5	(7.2-15.2)	18.1	(12.8-24.8)
Age										
18 - 49	10.8	(9.5-12.2)	9.5	(8.2-11.1)	10.8	(7.5-15.4)	12.9	(8.2-19.8)	20.4	(14.0-28.7)
50 +	5.0	(4.3-5.9)	4.0	(3.4-4.8)	10.4	(6.9-15.2)	6.4	(3.7-11.1)	c	c
Gender										
Male	6.7	(5.7-7.8)	5.4	(4.5-6.4)	10.2	(7.0-14.6)	8.1	(5.2-12.4)	18.0	(10.3-29.7)
Female	8.8	(7.8-10.1)	7.5	(6.5-8.8)	11.1	(7.7-15.8)	13.2	(7.5-22.1)	18.1	(11.8-26.8)
Education										
High school graduate or less	10.4	(9.0-12.1)	8.9	(7.5-10.6)	13.2	(9.1-18.8)	11.0	(6.8-17.4)	20.7	(12.6-32.2)
Some college or more	6.2	(5.4-7.0)	5.1	(4.3-5.9)	8.4	(5.9-11.8)	10.4	(6.1-17.2)	15.5	(9.7-23.9)
Household Income										
< \$35,000	13.9	(12.0-16.0)	12.9	(10.8-15.3)	13.1	(9.3-18.1)	17.6	(11.3-26.5)	25.1	(14.5-40.0)
\$35,000 +	5.3	(4.5-6.3)	4.2	(3.5-5.1)	7.1	(4.4-11.4)	c	c	16.5	(10.0-25.9)

<sup>&</sup>lt;sup>a</sup> The proportion who reported that in the past 12 months, they could not see a doctor when they needed to due to the cost.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 11: No Leisure Time Physical Activity<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	M	lichigan <sup>b</sup>	White,	White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	
Total	23.2	(22.1-24.3)	22.0	(20.8-23.3)	30.8	(27.2-34.6)	19.6	(15.5-24.4)	24.8	(18.8-32.0)	
Age											
18 - 49	18.9	(17.2-20.7)	16.6	(14.8-18.6)	28.6	(23.4-34.5)	18.9	(13.7-25.4)	23.2	(16.3-32.0)	
50 +	27.6	(26.2-29.2)	26.9	(25.3-28.5)	33.9	(29.0-39.1)	22.8	(16.3-30.9)	30.1	(19.8-42.9)	
Gender											
Male	19.2	(17.7-20.8)	18.8	(17.1-20.6)	24.5	(19.5-30.3)	14.4	(10.2-19.8)	17.7	(11.1-26.9)	
Female	26.9	(25.3-28.6)	25.1	(23.4-26.9)	36.3	(31.4-41.4)	25.2	(18.5-33.5)	30.7	(21.8-41.4)	
Education											
High school graduate or less	31.3	(29.2-33.6)	29.9	(27.5-32.5)	39.5	(33.6-45.9)	26.9	(18.7-37.0)	29.9	(20.3-41.7)	
Some college or more	18.0	(16.9-19.3)	17.4	(16.2-18.8)	22.8	(18.9-27.2)	16.0	(11.7-21.3)	20.1	(13.3-29.2)	
Household Income		•		•			-	•			
< \$35,000	32.8	(30.3-35.4)	32.6	(29.7-35.7)	36.4	(30.5-42.6)	24.0	(15.8-34.8)	30.1	(18.6-44.9)	
\$35,000 +	17.9	(16.6-19.4)	17.4	(15.9-18.9)	22.4	(17.5-28.2)	12.9	(9.1-18.1)	23.9	(16.2-33.7)	

<sup>&</sup>lt;sup>a</sup> The proportion who reported not participating in any leisure time physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise in the past month.

<sup>b</sup> Michigan estimates include all racial groups.

Table 12: Fruit Consumption (At least 1 / Day)<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	M	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic		/Multiracial, n-Hispanic	ŀ	Hispanic
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	60.1	(58.7-61.5)	60.8	(59.2-62.3)	59.3	(54.8-63.6)	56.7	(50.0-63.3)	54.9	(46.2-63.2)
Age										
18 - 49	57.2	(54.8-59.5)	57.6	(54.9-60.2)	59.3	(52.4-65.9)	53.9	(45.0-62.7)	52.3	(42.0-62.4)
50 +	62.6	(60.9-64.3)	63.4	(61.5-65.2)	58.4	(52.5-64.0)	59.1	(48.5-69.0)	63.4	(49.4-75.4)
Gender										
Male	57.7	(55.6-59.8)	58.1	(55.7-60.4)	58.4	(51.2-65.3)	53.2	(44.8-61.3)	55.7	(43.4-67.4)
Female	62.3	(60.3-64.2)	63.3	(61.2-65.3)	60.0	(54.5-65.3)	60.7	(49.5-70.9)	54.2	(42.3-65.6)
Education										
High school graduate or less	54.2	(51.5-56.9)	54.8	(51.8-57.8)	57.1	(49.8-64.0)	46.6	(33.9-59.8)	45.9	(32.5-60.0)
Some college or more	63.5	(61.9-65.1)	64.0	(62.2-65.7)	61.0	(55.4-66.3)	62.1	(54.4-69.3)	62.8	(52.9-71.8)
Household Income										
< \$35,000	57.9	(54.9-60.9)	58.4	(54.9-61.8)	56.1	(48.7-63.1)	55.5	(40.9-69.2)	61.5	(46.1-74.8)
\$35,000 +	61.8	(59.9-63.6)	62.1	(60.1-64.1)	62.3	(55.5-68.6)	57.7	(48.5-66.5)	58.2	(47.0-68.7)

<sup>&</sup>lt;sup>a</sup> The proportion whose total reported consumption of fruits (including juice) was at least one per day.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

Table 13: Vegetable Consumption (At least 1 / Day)<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	N	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic		r/Multiracial, n-Hispanic	ŀ	Hispanic
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	80.5	(79.3-81.7)	81.9	(80.5-83.1)	73.1	(68.9-77.0)	80.4	(74.8-85.1)	76.4	(68.5-82.8)
Age										
18 - 49	79.2	(77.2-81.1)	80.7	(78.4-82.8)	72.3	(65.5-78.2)	76.2	(68.4-82.5)	79.0	(69.5-86.1)
50 +	81.6	(80.2-83.0)	82.7	(81.2-84.1)	75.0	(69.5-79.8)	86.8	(77.3-92.7)	67.9	(53.9-79.4)
Gender										
Male	78.7	(76.8-80.5)	79.8	(77.7-81.7)	71.1	(63.9-77.4)	78.6	(71.2-84.6)	78.3	(67.2-86.5)
Female	82.1	(80.5-83.6)	83.8	(82.1-85.3)	74.8	(69.6-79.3)	82.2	(73.1-88.7)	74.9	(63.5-83.6)
Education										
High school graduate or less	74.8	(72.3-77.1)	76.5	(73.8-79.1)	68.8	(61.5-75.3)	73.5	(60.7-83.3)	68.6	(55.2-79.5)
Some college or more	83.8	(82.4-85.0)	84.7	(83.3-86.0)	76.9	(71.8-81.3)	83.5	(77.6-88.2)	83.6	(74.4-89.9)
Household Income		•		•				•		
< \$35,000	74.4	(71.6-77.0)	75.3	(72.1-78.3)	70.7	(63.8-76.7)	83.7	(72.2-91.0)	65.2	(49.5-78.2)
\$35,000 +	84.0	(82.6-85.4)	84.9	(83.3-86.3)	78.3	(72.2-83.4)	82.5	(75.1-88.0)	82.0	(71.8-89.1)

<sup>&</sup>lt;sup>a</sup> The proportion whose total reported consumption of vegetables was at least one per day.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

Table 14: Current Smoking<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	M	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic		r/Multiracial, n-Hispanic	ŀ	Hispanic
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	16.9	(15.8-18.0)	16.6	(15.4-17.8)	18.6	(15.5-22.1)	16.8	(12.4-22.3)	17.2	(12.2-23.8)
Age										
18 - 49	18.3	(16.6-20.1)	19.0	(17.0-21.1)	17.6	(13.2-23.2)	13.5	(8.5-20.8)	17.2	(11.3-25.3)
50 +	15.7	(14.4-17.0)	14.7	(13.4-16.2)	19.2	(15.1-24.0)	24.9	(16.8-35.2)	17.4	(9.9-28.9)
Gender										
Male	18.1	(16.5-19.7)	18.0	(16.3-19.9)	19.9	(15.0-25.8)	17.6	(12.7-23.9)	14.4	(8.1-24.4)
Female	15.8	(14.4-17.3)	15.3	(13.8-16.9)	17.5	(13.8-21.9)	15.9	(9.2-26.1)	19.6	(12.6-29.1)
Education										
High school graduate or less	25.1	(23.0-27.4)	25.7	(23.3-28.3)	24.4	(19.2-30.6)	24.1	(15.9-34.9)	20.9	(12.9-32.1)
Some college or more	11.8	(10.8-12.9)	11.4	(10.3-12.6)	13.2	(10.1-17.0)	13.0	(8.2-19.9)	13.7	(8.3-21.7)
Household Income										
< \$35,000	27.2	(24.7-29.8)	26.5	(23.7-29.6)	28.5	(22.9-34.9)	35.0	(24.1-47.8)	21.7	(12.0-36.1)
\$35,000 +	13.8	(12.4-15.2)	14.4	(13.0-16.0)	8.3	(5.2-12.9)	12.4	(6.8-21.6)	14.4	(8.7-23.0)

<sup>&</sup>lt;sup>a</sup> The proportion who reported that they had ever smoked at least 100 cigarettes (5 packs) in their life and that they smoke cigarettes now, either every day or on some days.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

Table 15: Current E-Cigarette Use<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	M	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic		r/Multiracial, n-Hispanic	ŀ	Hispanic
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	7.6	(6.8-8.5)	7.0	(6.2-8.0)	7.0	(5.0-9.7)	10.4	(6.7-15.9)	14.5	(9.2-22.0)
Age										
18 - 49	13.1	(11.6-14.8)	12.7	(11.0-14.6)	11.0	(7.5-15.9)	15.5	(9.9-23.5)	17.8	(11.2-27.2)
50 +	2.3	(1.8-2.9)	2.2	(1.7-2.8)	c	c	c	c	c	c
Gender										
Male	8.5	(7.3-9.8)	8.0	(6.7-9.4)	8.0	(4.9-12.9)	12.0	(7.7-18.3)	14.5	(8.1-24.6)
Female	6.7	(5.6-7.9)	6.2	(5.1-7.4)	6.2	(4.0-9.5)	c	c	c	c
Education										
High school graduate or less	10.1	(8.6-11.9)	9.8	(8.2-11.8)	10.0	(6.5-15.1)	c	c	c	c
Some college or more	6.0	(5.1-7.0)	5.4	(4.6-6.5)	4.3	(2.6-7.0)	12.6	(7.4-20.6)	11.9	(6.7-20.3)
Household Income										
< \$35,000	9.1	(7.5-11.1)	8.8	(6.9-11.1)	9.2	(5.6-14.7)	c	c	18.7	(10.0-32.1)
\$35,000 +	6.9	(5.9-8.0)	6.6	(5.5-7.8)	5.0	(2.9-8.6)	13.1	(7.0-23.0)	c	c

<sup>&</sup>lt;sup>a</sup> Among all adults, the proportion who reported that they currently use e-cigarettes or other electronic vaping products, either every day or on some days.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 16: Current Hookah Use<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	N	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic		r/Multiracial, n-Hispanic	Hispanic	
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	1.9	(1.4-2.6)	1.5	(1.0-2.1)	c	c	<b></b> c	c	c	c
Age										
18 - 49	3.0	(2.0-4.4)	2.3	(1.4-3.7)	c	c	c	c	c	c
50 +	1.0	(0.6-1.5)	0.8	(0.5-1.3)	c	c	c	c	c	c
Gender										
Male	1.9	(1.2-3.0)	1.5	(0.9-2.7)	c	c	c	c	c	c
Female	1.9	(1.3-2.9)	1.4	(0.9-2.3)	c	c	c	c	c	c
Education										
High school graduate or less	2.5	(1.5-4.0)	2.1	(1.2-3.8)	c	c	c	c	c	c
Some college or more	1.6	(1.0-2.3)	1.1	(0.7-1.8)	c	c	c	c	c	c
Household Income							-			
< \$35,000	2.2	(1.3-3.7)	2.0	(1.1-3.6)	c	c	c	c	c	c
\$35,000 +	1.7	(1.1-2.7)	1.2	(0.7-2.2)	c	c	c	c	c	c

<sup>&</sup>lt;sup>a</sup> Among all adults, the proportion who reported smoking tobacco using a hookah, narghile, or water pipe on one or more days during the previous thirty days.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 17: Any Alcohol Consumption<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	M	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic		r/Multiracial, n-Hispanic	Hispanic	
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	53.6	(52.2-55.0)	54.4	(52.9-55.9)	50.0	(45.7-54.2)	50.2	(43.9-56.5)	54.2	(46.0-62.2)
Age										
18 - 49	57.8	(55.6-60.0)	58.6	(56.0-61.1)	56.0	(49.5-62.4)	55.8	(47.5-63.7)	55.6	(45.7-65.1)
50 +	49.9	(48.2-51.6)	51.1	(49.3-52.9)	44.7	(39.2-50.4)	39.0	(30.2-48.5)	49.4	(36.5-62.3)
Gender										
Male	59.6	(57.5-61.6)	60.3	(58.1-62.5)	55.7	(48.8-62.4)	60.2	(52.4-67.5)	56.3	(44.1-67.8)
Female	48.1	(46.3-50.0)	48.9	(46.9-51.0)	45.2	(40.0-50.5)	39.8	(30.5-49.8)	52.6	(41.6-63.3)
Education										
High school graduate or less	42.5	(40.1-45.0)	42.1	(39.3-44.8)	45.1	(38.4-51.9)	38.5	(27.6-50.6)	45.3	(33.0-58.3)
Some college or more	60.6	(59.0-62.1)	61.5	(59.8-63.2)	54.7	(49.4-59.9)	57.2	(50.1-64.0)	62.8	(53.1-71.6)
Household Income										
< \$35,000	40.1	(37.3-43.0)	36.9	(33.8-40.2)	50.6	(43.8-57.4)	38.9	(26.5-52.9)	42.8	(29.3-57.4)
\$35,000 <b>+</b>	63.2	(61.4-64.9)	63.6	(61.8-65.5)	59.9	(53.6-65.9)	63.1	(55.0-70.5)	61.3	(50.1-71.4)

<sup>&</sup>lt;sup>a</sup> The proportion who reported consuming at least one drink of any alcoholic beverage in the previous month. <sup>b</sup> Michigan estimates include all racial groups.

Table 18: Heavy Drinking<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	N	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic		r/Multiracial, n-Hispanic	Hispanic	
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	6.4	(5.7-7.2)	6.6	(5.8-7.4)	4.9	(3.3-7.3)	7.3	(3.9-13.0)	c	c
Age										
18 - 49	7.8	(6.6-9.2)	8.0	(6.7-9.6)	6.6	(3.9-10.9)	c	c	c	c
50 +	5.1	(4.4-6.0)	5.4	(4.6-6.2)	c	c	c	c	c	c
Gender										
Male	7.1	(6.0-8.4)	7.2	(6.0-8.5)	c	c	c	c	c	c
Female	5.8	(5.0-6.7)	6.0	(5.1-7.0)	4.9	(3.0-8.0)	c	c	c	c
Education										
High school graduate or less	6.0	(4.8-7.6)	5.2	(4.0-6.8)	6.0	(3.3-10.6)	c	c	c	c
Some college or more	6.6	(5.9-7.5)	7.3	(6.4-8.3)	3.9	(2.3-6.4)	c	c	c	c
Household Income										
< \$35,000	5.6	(4.3-7.3)	5.4	(4.2-7.1)	5.4	(3.1-9.1)	c	c	c	c
\$35,000 <b>+</b>	7.3	(6.4-8.4)	7.5	(6.5-8.7)	c	c	8.6	(4.7-15.1)	c	c

<sup>&</sup>lt;sup>a</sup> The proportion who reported consuming on average more than two alcoholic beverages per day for men or more than one per day for women in the previous month.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 19: Binge Drinking<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	M	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic		/Multiracial, n-Hispanic	ŀ	Hispanic
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	16.1	(15.1-17.2)	15.8	(14.7-17.0)	14.3	(11.5-17.7)	18.4	(12.9-25.6)	23.6	(17.2-31.4)
Age										
18 - 49	23.1	(21.2-25.1)	23.5	(21.4-25.7)	18.2	(13.6-23.9)	23.9	(16.2-33.8)	27.1	(19.3-36.7)
50 +	9.6	(8.7-10.6)	9.4	(8.5-10.5)	11.2	(8.2-15.1)	7.6	(4.2-13.4)	c	c
Gender										
Male	20.2	(18.5-22.0)	20.5	(18.7-22.5)	16.4	(11.9-22.2)	20.9	(13.9-30.2)	24.3	(15.2-36.5)
Female	12.4	(11.1-13.8)	11.4	(10.2-12.8)	12.7	(9.4-16.8)	c	c	23.0	(14.9-33.8)
Education										
High school graduate or less	14.6	(12.8-16.6)	13.2	(11.3-15.4)	16.2	(11.7-21.9)	18.6	(10.0-32.1)	23.8	(14.5-36.6)
Some college or more	17.1	(15.8-18.5)	17.3	(15.9-18.7)	12.8	(9.5-16.9)	18.5	(11.9-27.6)	23.3	(15.5-33.5)
Household Income										
< \$35,000	13.2	(11.2-15.4)	11.2	(9.2-13.5)	15.6	(11.2-21.4)	c	c	26.8	(15.5-42.3)
\$35,000 +	19.7	(18.2-21.3)	19.5	(17.9-21.2)	17.3	(12.7-23.0)	24.1	(16.0-34.5)	23.9	(15.8-34.5)

<sup>&</sup>lt;sup>a</sup> Among adults who binge drank in the past month, the mean number of times during which five or more alcoholic beverages (for men) or four or more (for women) were consumed during the past month.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 20: Ever Told High Blood Pressure<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	N	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic	Other/Multiracial, Non-Hispanic		Hispanic	
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	35.3	(34.1-36.5)	35.6	(34.2-36.9)	44.7	(40.8-48.7)	22.2	(18.2-26.7)	20.2	(14.8-26.9)
Age										
18 - 49	17.7	(16.2-19.4)	17.2	(15.5-19.1)	25.0	(20.3-30.5)	11.5	(8.2-15.9)	15.1	(9.5-23.1)
50 +	52.6	(51.0-54.2)	51.5	(49.8-53.3)	64.8	(59.3-69.9)	43.7	(34.8-52.9)	37.2	(26.0-49.9)
Gender										
Male	38.2	(36.3-40.0)	39.0	(37.0-41.1)	45.2	(39.1-51.4)	23.6	(18.2-29.9)	22.5	(14.4-33.5)
Female	32.6	(31.0-34.2)	32.3	(30.5-34.1)	44.3	(39.4-49.4)	20.7	(15.3-27.4)	18.3	(11.9-27.1)
Education										
High school graduate or less	38.7	(36.4-40.9)	39.2	(36.7-41.7)	44.7	(38.6-51.0)	27.4	(19.5-37.0)	25.0	(16.3-36.4)
Some college or more	33.1	(31.7-34.5)	33.4	(31.9-35.0)	44.5	(39.6-49.5)	19.1	(15.0-24.0)	15.7	(10.0-23.8)
Household Income						_	-		-	
< \$35,000	41.1	(38.4-43.8)	42.5	(39.4-45.7)	43.3	(37.2-49.7)	28.3	(19.6-39.0)	28.9	(17.5-43.9)
\$35,000 +	33.1	(31.5-34.7)	33.1	(31.4-34.9)	46.2	(40.1-52.4)	22.0	(16.7-28.5)	18.8	(12.2-28.0)

<sup>&</sup>lt;sup>a</sup> The proportion who reported that they were ever told by a doctor that they had high blood pressure (HBP). Women who had HBP only during pregnancy and adults who were borderline hypertensive were considered to not have been diagnosed.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

Table 21: Cholesterol Ever Checked<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	N	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic		r/Multiracial, n-Hispanic	ŀ	Hispanic
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	91.2	(90.3-92.1)	91.9	(90.8-92.8)	91.7	(88.9-93.9)	88.6	(84.5-91.8)	81.9	(73.3-88.1)
Age										
18 - 49	83.2	(81.3-85.0)	83.3	(81.1-85.3)	86.0	(80.5-90.1)	83.8	(77.6-88.5)	77.1	(66.4-85.1)
50 +	98.1	(97.6-98.5)	98.4	(97.8-98.8)	c	c	c	c	c	c
Gender										
Male	90.1	(88.6-91.4)	90.5	(88.9-92.0)	91.6	(86.5-94.9)	85.0	(78.6-89.8)	83.8	(73.2-90.8)
Female	92.4	(91.1-93.5)	93.2	(91.8-94.3)	91.8	(88.2-94.4)	c	c	80.2	(66.5-89.2)
Education										
High school graduate or less	88.2	(86.2-89.9)	89.4	(87.2-91.2)	89.2	(84.0-92.9)	81.4	(71.0-88.7)	74.9	(59.2-85.9)
Some college or more	93.0	(92.0-93.9)	93.3	(92.1-94.3)	93.8	(90.4-96.1)	92.0	(88.0-94.8)	87.7	(79.4-93.0)
Household Income										
< \$35,000	90.1	(88.0-91.9)	90.8	(88.3-92.8)	90.5	(85.2-94.0)	86.8	(76.9-92.9)	c	c
\$35,000 +	92.4	(91.2-93.4)	92.6	(91.3-93.8)	92.6	(87.7-95.6)	92.4	(87.5-95.4)	87.5	(78.0-93.2)

<sup>&</sup>lt;sup>a</sup> The proportion who reported ever having had their blood cholesterol checked.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 22: Ever Told High Cholesterol<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	M	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic		r/Multiracial, n-Hispanic	Hispanic	
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	36.9	(35.6-38.2)	38.1	(36.7-39.6)	38.0	(34.0-42.3)	26.6	(21.3-32.6)	23.1	(16.5-31.4)
Age										
18 - 49	20.0	(18.2-22.0)	20.3	(18.2-22.6)	21.3	(16.3-27.2)	17.3	(12.0-24.4)	17.7	(10.3-28.7)
50 +	49.6	(47.9-51.2)	49.8	(48.0-51.6)	52.4	(46.7-58.0)	41.3	(31.8-51.5)	36.6	(25.1-49.8)
Gender										
Male	38.8	(36.8-40.8)	40.3	(38.2-42.5)	36.8	(30.6-43.6)	30.2	(23.1-38.4)	26.2	(16.5-39.0)
Female	35.2	(33.5-37.0)	36.1	(34.2-38.1)	39.1	(33.9-44.4)	23.0	(15.9-32.2)	20.2	(12.1-31.7)
Education										
High school graduate or less	39.5	(37.0-42.0)	41.5	(38.7-44.3)	37.3	(30.9-44.1)	31.9	(20.6-45.9)	20.9	(11.1-35.8)
Some college or more	35.4	(33.9-37.0)	36.3	(34.7-38.0)	38.7	(33.7-44.0)	23.7	(18.3-30.1)	24.6	(16.6-34.9)
Household Income										
< \$35,000	41.6	(38.7-44.6)	44.6	(41.2-48.1)	37.7	(31.3-44.6)	31.6	(19.6-46.6)	28.2	(14.9-46.8)
\$35,000 +	34.7	(33.0-36.4)	35.3	(33.5-37.1)	40.7	(34.4-47.2)	24.7	(18.3-32.4)	21.5	(13.6-32.3)

<sup>&</sup>lt;sup>a</sup> The proportion who reported that a doctor, nurse, or other health professional had told them that their cholesterol was high among those who ever had their blood cholesterol checked. <sup>b</sup> Michigan estimates include all racial groups.

Table 23: No Routine Checkup in Past Year<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	M	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic		r/Multiracial, n-Hispanic	ı	Hispanic
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	22.7	(21.6-23.9)	22.8	(21.5-24.1)	15.3	(12.6-18.4)	30.8	(25.4-36.8)	32.5	(25.8-40.0)
Age										
18 - 49	32.4	(30.4-34.4)	34.0	(31.7-36.5)	19.0	(14.6-24.3)	35.2	(27.9-43.3)	37.5	(29.0-46.8)
50 +	13.2	(12.2-14.3)	13.1	(12.0-14.3)	11.1	(8.4-14.5)	19.6	(13.8-27.1)	16.4	(10.1-25.5)
Gender										
Male	26.9	(25.1-28.7)	26.8	(24.8-28.8)	17.4	(13.0-22.9)	40.3	(32.9-48.1)	37.1	(26.9-48.5)
Female	18.8	(17.4-20.3)	19.0	(17.4-20.7)	13.4	(10.5-16.9)	20.5	(13.6-29.7)	28.9	(20.4-39.2)
Education										
High school graduate or less	23.7	(21.5-25.9)	23.7	(21.3-26.3)	16.6	(12.3-22.0)	34.3	(24.2-46.0)	33.2	(22.5-46.0)
Some college or more	22.1	(20.8-23.4)	22.2	(20.8-23.7)	14.1	(11.1-17.7)	29.4	(23.2-36.3)	31.8	(24.0-40.8)
Household Income										
< \$35,000	21.7	(19.3-24.2)	21.4	(18.7-24.4)	18.2	(13.5-24.0)	27.1	(16.3-41.5)	33.7	(21.2-49.0)
\$35,000 +	23.9	(22.4-25.5)	24.1	(22.4-25.8)	14.2	(10.3-19.3)	32.7	(25.0-41.4)	29.7	(21.6-39.4)

<sup>&</sup>lt;sup>a</sup> The proportion who reported that they did not have a routine checkup in the past year. <sup>b</sup> Michigan estimates include all racial groups.

Table 24: Had Flu Vaccine in Past Year among Adults 65 Years and Older<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	M	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic	Other/Multiracial, Non-Hispanic		Hispanic	
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	70.1	(67.8-72.3)	71.8	(69.4-74.0)	55.9	(46.2-65.2)	71.2	(56.1-82.7)	61.5	(39.6-79.6)
Gender										
Male	68.9	(65.5-72.2)	70.5	(67.0-73.8)	50.8	(36.5-64.9)	58.1	(35.0-78.2)	c	c
Female	71.0	(67.8-74.0)	72.8	(69.6-75.7)	59.4	(46.2-71.5)	c	c	c	c
Education										
High school graduate or less	63.8	(59.5-67.9)	65.6	(61.1-69.8)	50.5	(35.5-65.3)	c	c	c	c
Some college or more	74.4	(72.0-76.7)	75.9	(73.4-78.2)	61.2	(49.7-71.5)	64.8	(47.4-79.0)	c	c
Household Income										
< \$35,000	64.8	(60.1-69.2)	66.1	(61.0-70.8)	56.9	(42.4-70.3)	c	c	c	c
\$35,000 +	73.5	(70.3-76.4)	74.1	(70.8-77.2)	66.9	(53.0-78.3)	C	c	c	c

<sup>&</sup>lt;sup>a</sup> The proportion of those aged 65 years and older who reported that they had a flu vaccine, either by an injection in the arm or sprayed in the nose during the past 12 months.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 25: Ever Had Pneumonia Vaccine among Adults 65 Years and Older<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	M	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic		r/Multiracial, n-Hispanic	ŀ	lispanic
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	72.2	(70.0-74.4)	74.2	(72.0-76.3)	57.1	(46.8-66.7)	67.9	(52.7-80.0)	60.3	(37.8-79.2)
Gender										
Male	68.3	(64.8-71.7)	70.8	(67.2-74.2)	50.9	(35.9-65.8)	50.4	(29.0-71.6)	c	c
Female	75.4	(72.4-78.1)	77.0	(74.2-79.6)	61.1	(47.1-73.4)	c	c	c	c
Education										
High school graduate or less	67.6	(63.3-71.6)	70.1	(65.9-74.0)	51.0	(35.4-66.4)	c	c	c	c
Some college or more	75.6	(73.2-78.0)	77.0	(74.4-79.3)	63.0	(51.2-73.5)	62.8	(45.9-77.2)	c	c
Household Income										
< \$35,000	70.7	(66.2-74.8)	72.8	(68.1-77.0)	66.5	(51.4-78.9)	c	c	c	c
\$35,000 +	74.5	(71.4-77.3)	75.5	(72.4-78.4)	62.8	(48.1-75.5)	c	c	c	c

<sup>&</sup>lt;sup>a</sup> The proportion of those aged 65 years and older who reported that they ever had a pneumococcal vaccine.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 26: Ever Had an HIV Test among Adults 18 – 64 Years of Age<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	M	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic		r/Multiracial, n-Hispanic	ŀ	Hispanic
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	43.7	(42.0-45.4)	40.5	(38.6-42.4)	65.8	(60.9-70.5)	33.2	(27.4-39.5)	44.6	(36.0-53.6)
Age										
18 - 49	46.1	(43.8-48.5)	43.9	(41.3-46.6)	67.9	(61.0-74.0)	32.1	(25.3-39.7)	43.3	(33.6-53.5)
50 - 64	40.2	(37.7-42.7)	35.4	(32.8-38.1)	64.9	(57.5-71.7)	37.4	(26.0-50.3)	52.3	(36.0-68.2)
Gender										
Male	38.5	(36.1-41.0)	35.1	(32.5-37.8)	63.0	(54.9-70.5)	30.7	(23.8-38.6)	34.3	(23.9-46.5)
Female	48.8	(46.4-51.2)	45.7	(43.1-48.4)	68.4	(62.4-73.8)	36.1	(26.9-46.5)	52.7	(40.7-64.4)
Education										
High school graduate or less	41.6	(38.4-44.8)	37.4	(33.9-41.0)	61.6	(53.6-69.0)	37.5	(26.1-50.4)	36.0	(23.0-51.5)
Some college or more	45.0	(43.0-47.0)	42.1	(39.9-44.4)	70.1	(63.9-75.6)	31.2	(24.9-38.3)	52.4	(42.0-62.7)
Household Income										
< \$35,000	50.5	(46.7-54.2)	46.3	(41.8-50.8)	67.3	(59.2-74.4)	39.8	(26.3-55.1)	40.2	(25.7-56.7)
\$35,000 +	43.2	(41.0-45.4)	40.0	(37.7-42.4)	76.2	(69.3-82.0)	31.1	(23.9-39.2)	44.9	(33.9-56.4)

<sup>&</sup>lt;sup>a</sup> The proportion of those aged 18-64 years who reported that they ever had been tested for HIV, apart from tests that were part of a blood donation.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

Table 27: Lifetime Asthma Prevalence - Adult<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	M	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic		r/Multiracial, n-Hispanic	Hispanic	
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	16.4	(15.4-17.5)	16.0	(14.9-17.2)	19.1	(16.1-22.4)	15.4	(12.0-19.7)	17.9	(12.3-25.4)
Age										
18 - 49	19.5	(17.8-21.3)	19.8	(17.8-22.0)	20.6	(16.2-25.9)	15.3	(11.1-20.8)	18.1	(11.4-27.5)
50 +	13.6	(12.5-14.8)	12.7	(11.6-14.0)	17.6	(13.9-22.1)	17.0	(11.0-25.2)	17.4	(10.2-28.0)
Gender										
Male	14.0	(12.6-15.6)	13.2	(11.7-14.9)	16.2	(11.9-21.6)	16.1	(11.5-22.2)	18.8	(10.4-31.6)
Female	18.7	(17.3-20.2)	18.6	(17.0-20.3)	21.6	(17.8-26.0)	14.7	(10.0-21.0)	17.3	(10.7-26.7)
Education										
High school graduate or less	17.4	(15.6-19.5)	16.1	(14.1-18.4)	21.0	(16.4-26.6)	17.5	(11.1-26.6)	24.0	(14.4-37.3)
Some college or more	15.8	(14.7-17.0)	15.9	(14.6-17.2)	17.4	(13.9-21.5)	14.5	(10.7-19.3)	12.3	(7.5-19.5)
Household Income										
< \$35,000	20.3	(18.1-22.8)	20.1	(17.5-23.1)	23.1	(18.2-28.8)	16.7	(10.5-25.5)	c	c
\$35,000 +	14.9	(13.6-16.3)	14.3	(12.9-15.7)	16.7	(12.4-22.0)	15.0	(10.3-21.3)	22.1	(13.9-33.3)

<sup>&</sup>lt;sup>a</sup> The proportion who reported that they were told by a doctor, nurse, or other health care professional that they had asthma.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 28: Current Asthma Prevalence - Adult<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	M	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic		r/Multiracial, n-Hispanic	ı	Hispanic
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	11.6	(10.8-12.5)	11.5	(10.5-12.5)	13.6	(11.2-16.5)	8.9	(6.5-12.2)	11.6	(7.3-17.7)
Age										
18 - 49	13.1	(11.6-14.6)	13.6	(11.9-15.5)	13.6	(10.2-17.9)	9.6	(6.4-14.1)	10.6	(5.9-18.5)
50 +	10.3	(9.3-11.3)	9.7	(8.7-10.8)	13.8	(10.5-18.0)	8.3	(4.8-14.1)	14.7	(8.1-25.1)
Gender										
Male	8.3	(7.2-9.5)	7.9	(6.7-9.3)	9.7	(6.6-13.9)	9.6	(6.1-14.9)	c	c
Female	14.8	(13.5-16.1)	14.9	(13.4-16.4)	17.1	(13.7-21.1)	8.2	(5.2-12.6)	13.6	(7.6-23.0)
Education										
High school graduate or less	12.6	(11.1-14.4)	12.0	(10.2-13.9)	16.5	(12.5-21.3)	c	C	14.9	(8.0-26.1)
Some college or more	11.0	(10.0-12.1)	11.2	(10.1-12.4)	11.1	(8.4-14.5)	9.9	(6.8-14.0)	c	c
Household Income										
< \$35,000	15.7	(13.7-18.0)	15.0	(12.6-17.7)	19.6	(15.1-25.1)	12.1	(7.0-20.2)	c	c
\$35,000 <b>+</b>	10.1	(9.1-11.3)	10.1	(9.0-11.4)	10.2	(6.9-14.9)	9.0	(5.7-14.1)	11.8	(6.5-20.5)

<sup>&</sup>lt;sup>a</sup> The proportion who reported that they still had asthma.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 29: Ever Told Chronic Obstructive Pulmonary Disease (COPD)<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	N	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic		r/Multiracial, n-Hispanic		Hispanic
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	7.6	(7.0-8.3)	7.8	(7.0-8.5)	8.6	(6.9-10.8)	5.1	(3.4-7.5)	5.9	(3.1-10.7)
Age										
18 - 49	3.9	(3.1-4.8)	3.3	(2.5-4.3)	6.4	(4.2-9.6)	c	c	c	c
50 +	11.6	(10.6-12.7)	11.8	(10.7-13.0)	11.6	(8.9-15.1)	8.9	(5.3-14.5)	c	c
Gender										
Male	6.8	(5.9-7.8)	6.9	(5.9-8.0)	7.3	(5.0-10.7)	6.3	(3.7-10.6)	c	c
Female	8.4	(7.5-9.4)	8.6	(7.6-9.7)	9.8	(7.3-12.9)	3.8	(2.2-6.4)	c	c
Education										
High school graduate or less	10.9	(9.6-12.4)	11.7	(10.2-13.4)	10.3	(7.6-14.0)	c	c	c	c
Some college or more	5.6	(5.0-6.3)	5.5	(4.8-6.2)	7.1	(5.0-10.0)	4.5	(2.7-7.4)	c	c
Household Income										
< \$35,000	16.1	(14.2-18.2)	17.3	(15.0-19.9)	13.6	(10.1-18.0)	12.5	(7.4-20.4)	c	c
\$35,000 +	4.4	(3.8-5.2)	4.7	(4.0-5.5)	c	c	c	c	c	c

<sup>&</sup>lt;sup>a</sup> The proportion who reported ever being told by a doctor that they had chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 30: Ever Told Arthritis<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	M	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic		r/Multiracial, n-Hispanic	ŀ	Hispanic
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	29.8	(28.7-31.0)	31.8	(30.5-33.1)	29.8	(26.4-33.6)	16.2	(12.5-20.6)	13.9	(9.7-19.4)
Age										
18 - 49	12.6	(11.3-14.0)	14.4	(12.7-16.2)	10.5	(7.7-14.1)	6.0	(3.6-9.8)	c	c
50 +	47.0	(45.4-48.6)	46.8	(45.1-48.5)	50.8	(45.4-56.2)	40.5	(31.5-50.1)	41.8	(30.2-54.3)
Gender										
Male	25.7	(24.1-27.3)	27.6	(25.9-29.5)	24.2	(19.4-29.8)	13.9	(9.8-19.3)	c	c
Female	33.7	(32.1-35.4)	35.7	(33.9-37.6)	34.8	(30.0-39.8)	18.6	(12.9-26.2)	16.2	(10.6-23.8)
Education										
High school graduate or less	33.2	(31.1-35.4)	36.4	(33.9-38.9)	28.6	(23.3-34.5)	25.8	(17.3-36.5)	c	C
Some college or more	27.7	(26.4-29.0)	29.2	(27.8-30.7)	30.8	(26.4-35.7)	10.7	(8.1-14.1)	14.8	(9.8-21.8)
Household Income										
< \$35,000	36.4	(33.9-39.1)	41.1	(38.0-44.3)	30.0	(24.7-36.0)	29.7	(20.0-41.7)	c	c
\$35,000 +	26.2	(24.8-27.7)	27.3	(25.8-29.0)	28.3	(23.1-34.2)	12.7	(8.5-18.5)	16.9	(10.6-25.7)

<sup>&</sup>lt;sup>a</sup> The proportion who had ever being told by a health care professional that they had some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 31: Ever Told Heart Attack<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	N	lichigan⁵	White,	Non-Hispanic	Black,	Non-Hispanic		r/Multiracial, n-Hispanic		Hispanic
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	4.6	(4.1-5.2)	4.7	(4.1-5.3)	5.7	(4.2-7.7)	2.4	(1.5-4.0)	c	c
Age										
18 - 49	1.3	(0.8-2.0)	1.2	(0.7-2.1)	c	c	c	c	c	c
50 +	8.0	(7.1-8.9)	7.8	(6.9-8.8)	10.3	(7.5-14.1)	5.0	(2.9-8.5)	c	c
Gender										
Male	6.0	(5.2-7.0)	6.1	(5.3-7.2)	7.1	(4.6-10.6)	c	c	c	c
Female	3.3	(2.8-4.0)	3.4	(2.7-4.1)	4.5	(3.0-6.9)	c	c	c	c
Education										
High school graduate or less	6.3	(5.3-7.4)	6.5	(5.4-8.0)	6.5	(4.4-9.6)	c	c	c	c
Some college or more	3.6	(3.1-4.2)	3.6	(3.1-4.3)	5.0	(3.2-7.8)	c	c	c	c
Household Income										
< \$35,000	7.6	(6.3-9.2)	8.6	(6.9-10.6)	5.8	(3.7-9.1)	c	c	c	c
\$35,000 +	3.4	(2.8-4.0)	3.3	(2.7-4.0)	5.2	(2.9-8.9)	c	c	c	c

<sup>&</sup>lt;sup>a</sup> The proportion who had ever been told by a doctor that they had a heart attack or myocardial infarction.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 32: Ever Told Angina or Coronary Heart Disease<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	N	lichigan⁵	White,	Non-Hispanic	Black,	Non-Hispanic		r/Multiracial, n-Hispanic		Hispanic
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	4.3	(3.8-4.8)	4.6	(4.1-5.2)	3.4	(2.4-4.8)	1.8	(1.1-3.0)	c	c
Age										
18 - 49	0.9	(0.6-1.4)	0.8	(0.5-1.3)	c	c	c	c	c	c
50 +	7.7	(6.9-8.6)	8.0	(7.1-9.0)	6.7	(4.7-9.5)	5.0	(2.8-8.7)	c	c
Gender										
Male	5.0	(4.3-5.8)	5.5	(4.7-6.5)	2.8	(1.6-4.8)	c	c	C	c
Female	3.6	(3.0-4.2)	3.8	(3.2-4.5)	4.0	(2.6-6.0)	c	c	c	c
Education										
High school graduate or less	5.0	(4.2-6.0)	5.6	(4.6-6.8)	3.1	(1.8-5.4)	c	c	c	c
Some college or more	3.8	(3.3-4.3)	4.1	(3.6-4.7)	3.7	(2.4-5.6)	c	c	C	c
Household Income										
< \$35,000	6.5	(5.3-8.0)	7.7	(6.1-9.6)	3.6	(2.2-6.0)	c	c	c	c
\$35,000 +	3.7	(3.1-4.3)	4.0	(3.4-4.7)	2.5	(1.4-4.5)	c	c	c	c

<sup>&</sup>lt;sup>a</sup> The proportion who had ever been told by a doctor that they had angina or coronary heart disease.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 33: Ever Told Stroke<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	N	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic		r/Multiracial, n-Hispanic		Hispanic
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	3.8	(3.4-4.3)	3.6	(3.1-4.1)	6.1	(4.5-8.1)	c	c	c	c
Age										
18 - 49	1.3	(0.9-1.9)	0.8	(0.5-1.3)	c	c	c	c	c	c
50 +	6.3	(5.6-7.2)	6.0	(5.2-6.8)	9.5	(6.8-13.2)	c	c	c	c
Gender										
Male	3.8	(3.2-4.6)	3.3	(2.7-4.0)	6.9	(4.5-10.4)	c	c	c	c
Female	3.8	(3.2-4.5)	3.8	(3.2-4.6)	5.4	(3.5-8.1)	c	c	c	c
Education										
High school graduate or less	5.4	(4.5-6.5)	5.1	(4.2-6.2)	7.4	(4.8-11.3)	c	c	c	c
Some college or more	2.8	(2.4-3.3)	2.7	(2.3-3.2)	4.9	(3.3-7.0)	c	c	c	c
Household Income							-			
< \$35,000	7.0	(5.7-8.5)	6.5	(5.2-8.2)	8.5	(5.6-12.6)	c	c	c	c
\$35,000 +	2.7	(2.2-3.2)	2.6	(2.1-3.2)	5.1	(3.0-8.6)	c	c	c	c

<sup>&</sup>lt;sup>a</sup> The proportion who had ever been told by a doctor that they had a stroke.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 34: Ever Told Any Cardiovascular Disease<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	M	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic		r/Multiracial, n-Hispanic		Hispanic
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	9.6	(8.9-10.3)	9.7	(9.0-10.6)	11.5	(9.4-14.1)	5.1	(3.6-7.2)	7.0	(3.9-12.3)
Age										
18 - 49	2.9	(2.3-3.8)	2.5	(1.8-3.4)	4.6	(2.8-7.5)	c	c	c	c
50 +	16.4	(15.2-17.6)	16.2	(14.9-17.5)	19.3	(15.4-23.8)	12.9	(8.7-18.7)	c	c
Gender										
Male	10.9	(9.8-12.0)	11.0	(9.8-12.2)	12.4	(9.0-16.7)	4.9	(2.9-8.3)	c	c
Female	8.4	(7.5-9.4)	8.6	(7.6-9.7)	10.8	(8.2-14.1)	5.3	(3.3-8.4)	c	c
Education										
High school graduate or less	12.3	(10.9-13.8)	12.8	(11.3-14.6)	12.4	(9.0-16.7)	c	C	c	c
Some college or more	7.9	(7.2-8.7)	8.0	(7.2-8.8)	10.8	(8.2-14.1)	4.9	(3.3-7.4)	c	c
Household Income										
< \$35,000	15.4	(13.5-17.4)	16.2	(14.1-18.7)	14.5	(10.8-19.2)	10.1	(6.0-16.6)	c	c
\$35,000 +	7.5	(6.7-8.4)	7.7	(6.8-8.7)	9.7	(6.5-14.1)	4.3	(2.4-7.6)	c	c

<sup>&</sup>lt;sup>a</sup> The proportion who had ever been told by a doctor that they had a heart attack, coronary heart disease or a stroke.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

### Table 35: Ever Told Skin Cancer<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	N	lichigan <sup>b</sup>	White,	Non-Hispanic	Black,	Non-Hispanic		r/Multiracial, n-Hispanic		Hispanic
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	6.3	(5.9-6.9)	7.9	(7.3-8.5)	1.0	(0.6-1.8)	c	c	c	c
Age										
18 - 49	0.8	(0.5-1.3)	1.2	(0.8-1.8)	c	c	c	c	c	c
50 +	11.7	(10.8-12.7)	13.6	(12.6-14.8)	c	c	c	c	c	c
Gender										
Male	6.2	(5.6-7.0)	7.8	(7.0-8.7)	c	c	c	c	c	c
Female	6.4	(5.8-7.2)	8.0	(7.1-8.9)	c	c	c	c	c	c
Education										
High school graduate or less	5.1	(4.4-6.1)	6.8	(5.7-8.0)	c	c	c	c	c	c
Some college or more	7.1	(6.4-7.7)	8.5	(7.8-9.3)	c	c	c	c	c	c
Household Income										
< \$35,000	6.1	(5.1-7.3)	8.5	(7.0-10.2)	c	c	c	c	c	c
\$35,000 +	6.3	(5.6-7.0)	7.4	(6.6-8.2)	c	c	c	c	c	c

<sup>&</sup>lt;sup>a</sup> The proportion who reported ever being told by a doctor that they had skin cancer.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 36: Ever Told Any Other Type of Cancer<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

Demographic Characteristics	Michigan⁵		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	8.2	(7.6-8.8)	9.0	(8.3-9.8)	5.2	(3.9-6.9)	4.5	(2.8-7.2)	7.6	(4.2-13.3)
Age										
18 - 49	2.7	(2.1-3.4)	2.6	(2.0-3.4)	c	c	c	c	c	c
50 +	13.6	(12.6-14.7)	14.5	(13.3-15.7)	9.3	(6.8-12.5)	11.3	(6.4-19.4)	c	c
Gender										
Male	6.4	(5.6-7.2)	7.1	(6.3-8.1)	4.5	(2.8-7.0)	c	c	c	c
Female	9.9	(9.0-10.9)	10.8	(9.7-11.9)	5.9	(4.1-8.4)	c	c	c	c
Education										
High school graduate or less	7.4	(6.4-8.5)	8.2	(7.1-9.6)	3.8	(2.3-6.1)	c	c	c	c
Some college or more	8.7	(8.0-9.5)	9.4	(8.6-10.4)	6.6	(4.7-9.3)	4.0	(2.4-6.7)	c	c
Household Income										
< \$35,000	9.4	(8.0-11.0)	10.9	(9.3-12.9)	5.0	(3.0-8.2)	c	c	c	c
\$35,000 +	7.5	(6.7-8.3)	7.9	(7.1-8.8)	6.4	(4.3-9.4)	c	c	c	c

<sup>&</sup>lt;sup>a</sup> The proportion who reported ever being told by a doctor that they had a form of cancer other than skin cancer.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 37: Ever Told Cancer<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

Demographic Characteristics	Michigan <sup>b</sup>		White,	White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	
Total	13.1	(12.4-13.9)	15.1	(14.2-16.0)	6.0	(4.6-7.8)	6.5	(4.3-9.7)	8.2	(4.8-13.8)	
Age											
18 - 49	3.4	(2.7-4.3)	3.6	(2.9-4.6)	c	c	c	c	c	c	
50 +	22.6	(21.3-23.9)	24.9	(23.5-26.3)	10.9	(8.2-14.3)	16.5	(10.5-25.2)	c	c	
Gender											
Male	11.2	(10.2-12.2)	13.2	(12.0-14.4)	4.7	(3.0-7.3)	c	c	c	c	
Female	14.9	(13.8-16.1)	17.0	(15.7-18.3)	7.1	(5.1-9.7)	9.2	(5.4-15.2)	11.2	(6.1-19.6)	
Education											
High school graduate or less	11.4	(10.1-12.7)	13.5	(12.0-15.2)	4.0	(2.5-6.4)	c	c	c	c	
Some college or more	14.2	(13.3-15.2)	16.0	(14.9-17.1)	7.8	(5.7-10.6)	6.0	(3.8-9.4)	c	c	
Household Income											
< \$35,000	13.9	(12.3-15.8)	17.3	(15.2-19.6)	5.2	(3.1-8.5)	9.2	(5.2-15.9)	c	c	
\$35,000 +	12.4	(11.5-13.4)	13.6	(12.5-14.7)	7.8	(5.5-11.1)	c	c	c	c	

<sup>&</sup>lt;sup>a</sup> The proportion who reported ever being told by a doctor that they had skin cancer or any other type of cancer.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 38: Ever Told Diabetes<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	Michigan <sup>b</sup>		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	10.8	(10.0-11.6)	10.3	(9.5-11.1)	16.6	(13.8-19.8)	6.4	(4.4-9.4)	7.6	(4.4-12.8)
Age										
18 - 49	3.6	(3.0-4.5)	3.1	(2.4-3.9)	7.2	(4.8-10.8)	c	c	c	c
50 +	17.9	(16.6-19.2)	16.4	(15.2-17.8)	27.9	(23.0-33.3)	17.6	(11.7-25.8)	15.2	(8.4-26.1)
Gender										
Male	11.3	(10.2-12.5)	11.4	(10.2-12.7)	14.7	(11.0-19.4)	4.9	(2.8-8.5)	c	c
Female	10.3	(9.3-11.4)	9.3	(8.3-10.4)	18.3	(14.4-22.9)	8.1	(4.8-13.4)	c	c
Education									c	c
High school graduate or less	13.1	(11.6-14.7)	12.6	(11.1-14.4)	17.9	(13.5-23.4)	c	c	c	c
Some college or more	9.3	(8.6-10.2)	9.0	(8.1-9.9)	15.5	(12.3-19.4)	4.7	(2.8-7.7)	c	c
Household Income										
< \$35,000	14.8	(13.0-16.8)	15.2	(13.1-17.6)	16.8	(12.6-22.0)	9.2	(5.1-16.0)	c	c
\$35,000 +	8.8	(8.0-9.8)	8.4	(7.5-9.4)	15.3	(11.5-20.1)	5.6	(3.1-9.8)	c	c

<sup>&</sup>lt;sup>a</sup> The proportion who reported that they were ever told by a doctor that they had diabetes. Adults who had been told they have prediabetes and women who had diabetes only during pregnancy were classified as not having been diagnosed.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

Table 39: Ever Told Kidney Disease<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

Demographic Characteristics	Michigan <sup>b</sup>		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	3.4	(3.0-3.8)	3.4	(3.0-3.9)	4.0	(2.9-5.6)	1.9	(1.1-3.3)	c	c
Age										
18 - 49	1.2	(0.8-1.7)	1.0	(0.6-1.5)	c	C	c	c	c	c
50 +	5.7	(5.0-6.5)	5.6	(4.9-6.4)	6.4	(4.4-9.1)	4.8	(2.8-8.1)	c	c
Gender										
Male	3.2	(2.6-3.9)	3.2	(2.6-3.9)	2.8	(1.6-5.0)	c	c	c	c
Female	3.6	(3.1-4.2)	3.6	(3.0-4.3)	5.1	(3.4-7.5)	c	c	c	c
Education										
High school graduate or less	4.0	(3.3-5.0)	4.3	(3.5-5.4)	2.7	(1.5-4.9)	c	c	c	c
Some college or more	3.0	(2.6-3.5)	2.9	(2.4-3.4)	5.3	(3.6-7.7)	c	c	c	c
Household Income										
< \$35,000	4.8	(3.9-6.0)	4.5	(3.5-5.7)	5.4	(3.4-8.5)	c	c	c	c
\$35,000 +	2.7	(2.3-3.3)	2.8	(2.3-3.4)	3.2	(1.7-5.7)	c	c	c	c

<sup>&</sup>lt;sup>a</sup> The proportion who reported ever being told by a doctor that they had kidney disease.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.

<sup>&</sup>lt;sup>c</sup> Suppressed due to a denominator < 50 and/or a relative standard error > 30%.

## Table 40: Ever Told Depression<sup>a</sup> by Race-Ethnicity 2021 Michigan BRFS

	Michigan <sup>b</sup>		White, Non-Hispanic		Black, Non-Hispanic		Other/Multiracial, Non-Hispanic		Hispanic	
Demographic Characteristics	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval
Total	22.6	(21.5-23.8)	23.5	(22.2-24.8)	17.4	(14.6-20.8)	16.9	(12.8-21.9)	29.5	(23.0-37.0)
Age										
18 - 49	27.8	(25.9-29.8)	29.5	(27.2-31.8)	20.6	(16.0-26.1)	21.4	(15.6-28.5)	31.3	(23.4-40.4)
50 +	18.0	(16.8-19.3)	18.8	(17.5-20.2)	14.9	(11.6-19.0)	8.0	(4.9-12.8)	23.6	(14.7-35.6)
Gender										
Male	16.3	(14.8-17.9)	16.4	(14.8-18.2)	13.3	(9.4-18.5)	13.1	(8.9-19.0)	26.0	(17.3-37.1)
Female	28.5	(26.9-30.2)	30.1	(28.3-32.0)	21.0	(17.1-25.5)	21.0	(14.3-29.6)	32.6	(23.6-43.1)
Education										
High school graduate or less	25.2	(23.1-27.4)	27.0	(24.6-29.6)	20.0	(15.2-25.8)	12.8	(7.9-20.1)	27.3	(17.9-39.3)
Some college or more	21.1	(19.8-22.4)	21.5	(20.1-23.0)	15.2	(12.2-18.8)	19.2	(13.9-26.1)	31.7	(23.4-41.3)
Household Income										
< \$35,000	30.0	(27.5-32.7)	32.6	(29.5-35.8)	23.7	(18.7-29.4)	21.0	(13.6-30.8)	32.9	(20.6-48.0)
\$35,000 +	19.9	(18.5-21.4)	20.3	(18.7-21.9)	13.2	(9.4-18.1)	17.4	(11.1-26.0)	29.8	(21.0-40.3)

<sup>&</sup>lt;sup>a</sup> The proportion who reported ever being told by a doctor that they had a depressive disorder including depression, major depression, dysthymia, or minor depression.

<sup>&</sup>lt;sup>b</sup> Michigan estimates include all racial groups.